

MATERIAL SAFETY DATA SHEET

Cislin® Residual Insecticide

Date of Issue: January 24th, 2007

1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND SUPPLIER

Product name: Cislin® Residual Insecticide
Other names: None
SAP product code: 4209078 (2.5 L), 4210564 (5 L)
Chemical group: Pyrethroid
Recommended use: A liquid insecticide concentrate for use as a general purpose pest control spray
Formulation: Suspension Concentrate (SC)
Supplier: Bayer Environmental Science – A Business Group of Bayer CropScience Pty Ltd ABN 87 000 226 022
Address: 391 - 393 Tooronga Road, East Hawthorn Victoria 3123, Australia
Telephone: (03) 9248 6888
Facsimile: (03) 9248 6800
Website: www.bayercropscience.com.au
Contact: Technical Manager (03) 9248 6854
Emergency Telephone Number: 1800 033 111 – Orica SH&E Shared Services

2. HAZARDS IDENTIFICATION

NON-HAZARDOUS SUBSTANCE - NON-DANGEROUS GOOD
Will irritate eyes and skin. Not flammable.

Hazard designation: Hazardous (National Occupational Health and Safety Commission - NOHSC)
Risk phrases: R43 – May cause sensitisation by skin contact.
Safety phrases: See Sections 4, 5, 6, 7, 8, 9, 13
ADG classification: Not "dangerous goods" for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
SUSDP classification: Schedule 5 (Standard for the Uniform Scheduling of Drugs and Poisons)

3. COMPOSITION / INFORMATION ON INGREDIENTS

Ingredients:	CAS Number:	Concentration (g/L):
Deltamethrin	[52918-63-5]	10
1,2-propanediol	[57-55-6]	60
Aqueous mixture of 5-chloro-2-methyl-2H-isothiazol-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	[55965-84-9]	~2.5
Other ingredients	(non hazardous)	~935

MATERIAL SAFETY DATA SHEET

Cislin® Residual Insecticide

Date of Issue: January 24th, 2007

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Material Safety Data Sheet to a doctor.

- Inhalation:** If inhaled, remove to fresh air and keep at rest. Loosen clothes. Obtain medical advice if at all worried. Restore and/or support breathing as required. In extreme cases of exposure; if breathing stops or shows signs of failing, start artificial respiration.
- Skin contact:** Carefully remove contaminated clothing and footwear. Wash affected areas with soap and water. Apply vitamin E cream, toilet milks or local anaesthetic creams to reduce irritation if it occurs. Seek medical advice if at all worried. Launder contaminated clothing before re-use.
- Eye contact:** Rinse immediately with plenty of water for at least 15 minutes, holding eye open. Seek advice from an ophthalmologist.
- Ingestion:** Wash out mouth with water. Do not induce vomiting. Keep patient at rest and seek medical advice as above. Do not apply mouth to mouth resuscitation if the material has been ingested.
- First Aid Facilities:** Ensure eye wash and safety shower are available when handling this product.
- Symptoms:** Burning sensations on the skin, irritation of the mucous membranes, coughing and sneezing may be experienced. Following severe intoxication, respiratory effects can include chest tightness, airway hyperreaction, and pulmonary oedema. Possible circulatory effects include tachycardia, hypotension, and palpitations. Gastrointestinal symptoms may include nausea, vomiting, diarrhoea, abdominal pain, and salivation. Potential Central Nervous System effects are dizziness, blurred vision, headache, listlessness, anorexia, somnolence/coma, seizures/convulsions, tremor, ataxia, and muscle fasciculations.
- Medical attention:** Treatment
Basic aid, decontamination, symptomatic treatment and if necessary administration of antidote.
Note for physicians
Treat large intakes with gastric lavage, and charcoal administration. Use endotracheal intubation, and artificial respiration (if necessary). Monitor respiratory and cardiac functions. Observe electrocardiograph, and check for pulmonary oedema in event of inhalation. Anticonvulsant therapy with diazepam i.v. No antidote known. Treat symptoms. Recovery should be spontaneous. Elimination by: dialysis, haemo-perfusion. Contraindication – adrenergic compounds, atropine. DO NOT confuse with anticholinesterase compounds. Skin contacted by deltamethrin must be carefully cleaned with cleansing milk. Symptoms can be partially alleviated by the application of a vitamin E or moisturising cream or anaesthetic ointment. For eyes, instil local anaesthetic drops e.g. 1% amethocaine hydrochloride eye drops. Give analgesics as necessary.

MATERIAL SAFETY DATA SHEET

Cislin® Residual Insecticide

Date of Issue: January 24th, 2007

5. FIRE FIGHTING MEASURES

Extinguishing media: Water spray, carbon dioxide, foam, dry chemical. Do not use a water jet from a fire hose.

Hazards from combustion products: In the event of fire, hydrogen cyanide, hydrogen bromide, and oxides of nitrogen and carbon may be produced.

Precautions for fire fighters: Fire fighters should wear full protective gear, including self-contained breathing apparatus (AS/NZS 1716), as toxic and irritating decomposition products may be produced in a fire. If it can be done safely, remove intact containers from the fire. Otherwise, use water spray to cool them. Bund area to prevent contamination of water sources. Dispose of fire control extinguishing agent and spillage later in a safe manner. Do not release contaminated water into the environment.

6. ACCIDENTAL RELEASE MEASURES

Avoid contact with spilled material or contaminated surfaces. When dealing with the spillage do not eat, drink or smoke and wear personal protective clothing and equipment as detailed in 'Personal Protection' section. Keep people and animals away. Prevent spillage from entering drains, sewers or watercourses. Contain/absorb spillage in sand/earth or other suitable inert material. Transfer collected material to sealable containers. Seal and label containers ready for disposal. Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

7. HANDLING AND STORAGE

Handling: Keep out of reach of children. Avoid contact with eyes and skin.

Storage: Store in original container in a cool, dry, well-ventilated area. Keep away from food, drink and animal feeds. Keep out of direct sunlight and avoid frosts.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure standards: No exposure standard has been assigned by the National Occupational Health and Safety Commission (Worksafe Australia). Bayer recommends an Occupational Exposure Standard for deltamethrin of 0.28 mg/m³. The manufacturer of propylene glycol recommends a TWA exposure limit of 10 mg/m³ mist (400 ppm vapour).

Engineering controls: No special ventilation is required, as this product is not volatile. Control process conditions to avoid contact. Use local exhaust ventilation while spraying, if possible.

Personal Protective Equipment:
Eyes: Wear face shield.
Clothing: When preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat.
Gloves: Elbow-length PVC gloves.
Respiratory: Respiratory protection is generally not required when using this product.

MATERIAL SAFETY DATA SHEET

Cislin® Residual Insecticide

Date of Issue: January 24th, 2007

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:	White liquid.
Odour:	Practically no odour
Vapour pressure:	As water
Vapour density:	Not available
Boiling point:	100°C
Solubility:	Forms a suspension
Density:	1.01 at 20°C
pH:	< 6 (undiluted)
Flash Point:	Not applicable
Flammability (explosive) limits:	Not applicable
Auto-ignition temperature:	Not applicable
Octanol/water partition coefficient:	LogP _{ow} = 4.6 (25 °C) – deltamethrin
Formulation:	Liquid concentrate insecticide

10. STABILITY AND REACTIVITY

Chemical stability:	Stable under normal conditions of use.
Hazardous polymerisation:	Not available
Incompatible materials:	Avoid oxidising agents, strong acids and alkalis.
Hazardous decomposition products:	In the event of fire, hydrogen cyanide, hydrogen bromide, and oxides of nitrogen and carbon may be produced.

11. TOXICOLOGICAL INFORMATION

POTENTIAL HEALTH EFFECTS

Inhalation:	Inhalation of the product is unlikely to occur because of its low volatility. However, inhalation of spray may cause transient irritation of mucous membranes (nose, throat and respiratory tract) for up to 24 hours.
Skin contact:	Irritating. Contact with the skin, especially the face, may result in initial stinging or burning sensations followed by numbing which may persist for a few hours. (Although skin irritation tests in animals show deltamethrin to be non-irritating, experience has shown it to cause these symptoms on human skin.)
Eye contact:	Irritant.
Ingestion:	Product is harmful if swallowed.
Other:	None

MATERIAL SAFETY DATA SHEET

Cislin® Residual Insecticide

Date of Issue: January 24th, 2007

ANIMAL TOXICITY DATA – PRODUCT AND ACTIVE INGREDIENT:

Acute:

Oral toxicity:	LD ₅₀ rat: > 10,000 mg/kg (product) LD ₅₀ rat: 130 (deltamethrin)
Dermal toxicity:	LD ₅₀ rat: > 10,000 mg/kg (product) LD ₅₀ rabbit: > 2,000 mg/kg (deltamethrin)
Inhalation toxicity:	LC ₅₀ (4 h) rat: 2.2 mg/L (deltamethrin)
Skin irritation:	Non-irritating – rabbit (deltamethrin)
Eye irritation:	Slight irritant – rabbit (deltamethrin)
Sensitisation:	Not sensitising - guinea pig (deltamethrin)

Chronic:

Deltamethrin is not mutagenic, carcinogenic or teratogenic.

12. ECOLOGICAL INFORMATION

Deltamethrin is highly toxic to fish, aquatic organisms and bees in laboratory studies, but considered less toxic under natural conditions.

Fish toxicity:	Deltamethrin: LC ₅₀ : 0.001 – 0.01 mg/L (96 h) fish.
Daphnia toxicity:	Deltamethrin: LC ₅₀ (48h): 3.5 µg/L
Toxicity to algae:	Deltamethrin: EC ₅₀ (96h): >9.1mg/L
Bird toxicity:	Deltamethrin: LD ₅₀ : > 5,000 mg/kg duck Deltamethrin: LD ₅₀ : > 10,000 mg/kg quail
Bee toxicity:	Deltamethrin found to be highly toxic in lab studies but considered less toxic under natural conditions.
Other:	None
Environmental fate, persistence and degradation:	Deltamethrin is not persistent in the environment. It is destroyed by soil micro-organisms and does not leave residues in the environment or build up in the food chain. Do not contaminate streams, rivers or waterways with the product or used containers.

MATERIAL SAFETY DATA SHEET

Cislin® Residual Insecticide

Date of Issue: January 24th, 2007

13. DISPOSAL CONSIDERATIONS

Triple or preferably pressure rinse containers before disposal. Add rinsings to treatment mixture. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and bury empty containers in a local authority landfill. If no landfill is available, bury the containers below 500 mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots. Empty containers and product should not be burnt. Dispose of waste product through a reputable waste contractor. If disposal of unwanted treated seed is necessary, bury seed below 500 mm in a disposal pit, specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

14. TRANSPORT INFORMATION

UN number:	Not applicable
Proper shipping name:	Not applicable
Class and Subsidiary Risk:	Not "dangerous goods" for transport by road or rail according to the Australian Code for the Transport of Dangerous Goods by Road and Rail.
Packing Group:	Not applicable
EPG:	Not applicable
Hazchem code:	Not applicable
Marine Pollutant:	No

15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Act 1988

Australian Pesticides and Veterinary Medicines Authority Approval Number: 32223

16. OTHER INFORMATION

Trademark information:	Cislin® is a Registered Trademark of Bayer.
Preparation information:	Replaces August 28 th , 2006 edition. Reason for update: Hazard Classification, Risk Phrases.
Data sources:	Bayer CropScience Pty Ltd product safety data and published data

This MSDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this MSDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

END OF MSDS